



Air Conditioner Product Line

| Model | BTU/Hour | Voltage/ Phase/Hz | Running Amps | Maximum Ambient Temp | Maximum Integrated Heat (Watts) | H x W x D | Ship Weight |
|----------|----------|----------------------|-----------------|----------------------------|--|------------------------|----------------|
| NE010126 | 1,000 | 120/1/60 | 2.69 | 125°F | NA | 22" x 11.8" x 8.5" | 65 |
| NE010236 | 1,000 | 230/1/60 | 1.99 | 125°F | NA | 22" x 11.8" x 8.5" | 67 |
| CS011D48 | 1,000 | 48 VDC | 3.7 | 125°F | NA | 17" x 7" x 7" | 43 |
| CS011126 | 1,000 | 120/1/60 | 2.7 | 131°F | 350 | 17" x 7" x 7" | 45 |
| NE015126 | 1,500 | 120/1/60 | 3.44 | 125°F | NA | 22" x 11.8" x 8.5" | 65 |
| NE015236 | 1,500 | 230/1/60 | 2.67 | 125°F | NA | 22" x 11.8" x 8.5" | 67 |
| NE020126 | 2,000 | 120/1/60 | 3.76 | 125°F | 1000 | 32" x 11.8" x 9.5" | 79 |
| NE020236 | 2,000 | 230/1/60 | 3.07 | 125°F | 1000 | 32" x 11.8" x 9.5" | 86 |
| NE020486 | 2,000 | 480/1/60 | 0.93 | 125°F | 1000 | 38" x 11.8" x 9.5" | 113 |
| CS020126 | 2,000 | 120/1/60 | 3.36 | 131°F | 500 | 20" x 10" x 10" | 58 |
| CS020236 | 2,000 | 230/1/60 | 2.0 | 131°F | 500 | 20" x 10" x 10" | 63 |
| NE030126 | 3,000 | 120/1/60 | 5.15 | 125°F | 1000 | 32" x 11.8" x 9.5" | 80 |
| NE030236 | 3,000 | 230/1/60 | 3.07 | 125°F | 1000 | 32" x 11.8" x 9.5" | 86 |
| NE030486 | 3,000 | 480/1/60 | 1.51 | 125°F | 1000 | 38" x 11.8" x 9.5" | 113 |
| NE040D48 | 4,000 | 48 VDC | 22.3 | 131°F | NA | 35.27" x 11.8" x 9.5" | 120 |
| NE040126 | 4,000 | 120/1/60 | 5.53 | 125°F | 1000 | 32" x 11.8" x 9.5" | 80 |
| NE040236 | 4,000 | 230/1/60 | 3.07 | 125°F | 1000 | 32" x 11.8" x 9.5" | 86 |
| NE040486 | 4,000 | 480/1/60 | 1.51 | 125°F | 1000 | 38" x 11.8" x 9.5" | 113 |
| NE050126 | 5,000 | 120/1/60 | 7.26 | 125°F | 1000 | 36" x 11.8" x 15.1" | 111 |
| NE050236 | 5,000 | 230/1/60 | 3.76 | 125°F | 1000 | 36" x 11.8" x 15.1" | 106 |
| NE050486 | 5,000 | 480/1/60 | 1.44 | 125°F | 1000 | 44.63" x 11.8" x 15.1" | 150 |
| NE060126 | 6,000 | 120/1/60 | 7.83 | 125°F | 1000 | 36" x 11.8" x 15.1" | 111 |
| NE060236 | 6,000 | 230/1/60 | 4.8 | 125°F | 1000 | 36" x 11.8" x 15.1" | 112 |
| NE060486 | 6,000 | 480/1/60 | 1.8 | 125°F | 1000 | 44.63" x 11.8" x 15.1" | 156 |
| TM061126 | 6,000 | 120/1/60 | 10.6 | 131°F | 1000 | 15.6" x 26.3" x 20.2" | 163 |
| TM061236 | 6,000 | 230/1/60 | 6.0 | 131°F | 1000 | 15.6" x 26.3" x 20.2" | 163 |
| TM061486 | 6,000 | 480/1/60 | 3.0 | 131°F | 1000 | 15.6" x 26.3" x 20.2" | 206 |
| NE080126 | 8,000 | 120/1/60 | 7.83 | 125°F | 1000 | 36" x 11.8" x 15.1" | 117 |
| NE080236 | 8,000 | 230/1/60 | 4.8 | 125°F | 1000 | 36" x 11.8" x 15.1" | 118 |
| NE080486 | 8,000 | 480/1/60 | 1.8 | 125°F | 1000 | 44.63" x 11.8" x 15.1" | 156 |
| TM081126 | 8,000 | 120/1/60 | 11.2 | 131°F | 1000 | 15.6" x 26.3" x 20.2" | 163 |
| TM081236 | 8,000 | 230/1/60 | 7.0 | 131°F | 1000 | 15.6" x 26.3" x 20.2" | 163 |
| TM081486 | 8,000 | 480/1/60 | 3.5 | 131°F | 1000 | 15.6" x 26.3" x 20.2" | 206 |
| HC101126 | 10,000 | 120/1/60 | 19.4 | 131°F | 1500 | 48" x 15.9" x 15.1" | 182 |
| HC101236 | 10,000 | 230/1/60 | 8.2 | 131°F | 1500 | 48" x 15.9" x 15.1" | 186 |
| HC101486 | 10,000 | 480/1/60 | 3.93 | 131°F | 1500 | 57.6" x 15.9" x 15.1" | 275 |
| HC121126 | 12,000 | 120/1/60 | 19.4 | 131°F | 1500 | 48" x 15.9" x 15.1" | 185 |
| HC121236 | 12,000 | 230/1/60 | 8.2 | 131°F | 1500 | 48" x 15.9" x 15.1" | 183 |
| HC121486 | 12,000 | 480/1/60 | 3.93 | 131°F | 1500 | 57.6" x 15.9" x 15.1" | 280 |
| HC151236 | 15,000 | 230/1/60 | 11.3 | 131°F | 1500 | 48" x 15.9" x 15.1" | 190 |
| HC151486 | 15,000 | 480/1/60 | 5.41 | 131°F | 1500 | 57.6" x 15.9" x 15.1" | 290 |
| HC201236 | 20,000 | 230/1/60 | 15.3 | 131°F | 1500 | 56.1" x 23" x 15" | 225 |
| HC201486 | 20,000 | 480/1/60 | 7.7 | 131°F | 1500 | 65.7" x 23" x 15" | 380 |

ETM
Calculator



ATTENTION: If ordering a replacement for a Thermal Edge air conditioner, please include the part number and serial number of the unit being replaced in your order. This will assure that we ship a replacement that is compatible with the cutout dimensions and power connection features of the older model.

All information subject to change without notice

2017-01-17

